Filed: 4/2/04

TC Art Unit: 3737 Confirmation No.: 1106

AMENDMENT TO THE CLAIMS

 (Currently Amended) A quantitative method for measuring cardiac tissue movement comprising:

providing a Doppler an ultrasound imaging system;
forming a B-mode reference image of moving cardiac
tissue with the ultrasound imaging system;

forming a gate defining a region of interest of the <u>cardiac</u> tissue including a heart wall, the gate having at least two pulsed wave spectral Doppler lines in a single image frame to define the region of interest;

forming pulsed wave spectral tissue Doppler data of the region of interest; and

determining displacement of the <u>cardiac</u> tissue within the region of interest.

- 2. (Original) The method of Claim 1 further comprising forming a tissue Doppler image of the tissue, and forming the gate using the tissue Doppler image.
- 3. (Original) The method of Claim 1 further comprising measuring displacement of a septal wall and lateral free wall of a heart as a function of time for at least a cardiac cycle.
- 4. (Currently Amended) The method of Claim 1 further comprising displaying simultaneously a measured displacement of a septal wall and lateral wall of a heart as a function of time for at least a cardiac cycle.

Filed: 4/2/04

TC Art Unit: 3737

Confirmation No.: 1106

5. (Currently Amended) The method of Claim 1 further comprising determining a velocity of tissue movement within the region of interest.

- 6. (Original) The method of Claim 5 wherein the step of forming the gate comprises forming multiple-gates on each spectral Doppler line to define the region of interest.
- 7. (Currently Amended) The method of Claim 1 wherein the step of forming a gate further comprises forming a first region that comprises a septal wall of a heart and the forming a second region that comprises a lateral wall of the heart.
- 8. (Currently Amended) The method of Claim 6 further comprising using automatic boarder border detection to measure tissue movement.
- (Original) The method of Claim 1 further comprising triggering image capture using an EKG.
- 10. (Original) The method of Claim 1 further comprising determining a directional value to indicate a direction of tissue displacement.
- 11. (Original) The method of Claim 1 further comprising providing an apical image of a heart with at least a 2-chamber view.
- 12. (Original) The method of Claim 1 further comprising providing a short axis view of a heart.

Filed: 4/2/04

TC Art Unit: 3737

Confirmation No.: 1106

13. (Currently Amended) The method of Claim 1 <u>fur44ther further</u> comprising determining a strain rate of tissue within the region of interest.

- 14. (Currently Amended) The method of Claim 6 further comprising averaging the multiple-gate to detect global displacement of a septal wall of a heart and global displacement of a left free wall of a—the heart.
- 15. (Original) The method of Claim 1 further comprising time integrating the pulsed wave spectral tissue Doppler data to determine displacement of tissue within the region of interest.
- 16. (Currently Amended) The method of Claim 14-1 further comprising measuring dysynchronous ventricular movement of the heart.
- 17. (Currently Amended) The method of Claim 12—16 further comprising displaying a B-mode image and simultaneously displaying displacement of an interventricular septal wall and a left free wall of a heart as a function of time for at least a cardiac cycle to visualize dysynchronous ventricular movement of the heart.
- 18. (Currently Amended) The method of claim 12—1 further comprising gold-providing a standard-reference image set—to guide the echocardiography—echocardiographic imaging

Filed: 4/2/04

TC Art Unit: 3737 Confirmation No.: 1106

operations and to facilitate obtaining the quantitative data representative of heart wall motion.

19. (Withdrawn) A quantitative method for measuring tissue movement comprising:

providing an echocardiography imaging system;
forming a sequence of B-mode reference images of moving
tissue;

using automatic border detection to detect tissue movement; and

determining displacement of the tissue within the region of interest.

- 20. (Withdrawn) The method of Claim 19 wherein the step of using border detection further comprises using a B-mode image and a motion compensated block searching process, each block comprising a plurality of pixels of the image.
- 21. (Withdrawn) The method of Claim 20 wherein each block has a size in a range of 3 X 3 pixels to 31 X 31 pixels.
- 22. (Withdrawn) The method of Claim 20 wherein the step of using automatic border detection further comprises providing an intensity threshold sequence to determine wall tissue boundaries.

Filed: 4/2/04

TC Art Unit: 3737

Confirmation No.: 1106

23. (Withdrawn) The method of Claim 20 further comprising determining an intensity value by summing an intensity of each pixel in a block.

- 24. (Withdrawn) The method of Claim 19 further comprising simultaneously measuring displacement of a septal wall and a left free wall of a heart as a function of time for at least one cardiac cycle.
- 25. (Withdrawn) The method of claim 19 further comprising determining phase angle of displacement of a septal wall and a left wall of a heart, determining relative delay movement between the septal wall and the left wall of the heart.
- 26. (Withdrawn) The method of Claim 19 wherein B-mode image capturing is EKG triggered.
- 27. (Withdrawn) The method of Claim 19 further comprising setting at least 5 anchor points on an image of a heart to define a search area for block matching.
- 28. (Currently Amended) A method for providing operating parameters for a biventricular pacemaker comprising:

performing an echocardiographic <u>ultrasound</u> imaging process to provide quantitative data representative of heart wall motion, the imaging process including placement of a plurality of gates on a region of a heart wall; and

selecting lead delay settings for a biventricular pacemaker using the quantitative-date data.

Filed: 4/2/04

TC Art Unit: 3737 Confirmation No.: 1106

29. (Currently Amended) The method of Claim 28 wherein the step further comprising of performing a Doppler imaging process includes forming a plurality of gates in a single image frame for the measurement of the measuring a lateral wall and a septal wall of a heart.

- 30. (Currently Amended) The method of Claim 28 further comprising forming pulsed wave spectral tissue Doppler date data of the lateral wall and the septal wall.
- 31. (Currently Amended) The method Claim 28—wherein capture of the—further comprising obtaining an echocardiographic image is—with an EKG—triggered trigger.
- 32. (Currently Amended) The method of Claim 28 wherein the forming a plurality of gates are formed using a plurality of spectral Doppler lines on single image frame of the heart.
- 33. (Currently Amended) The method of Claim 18 28 further comprising determining phase angle of displacement of an interventricular septal wall and a left free wall of a heart, determining relative delay movement between the two walls.
- 34. (Currently Amended) The method of Claim 28 further comprising perfor4ming performing a phase analysis of heart wall motion using automatic border tracking.

Filed: 4/2/04

TC Art Unit: 3737

Confirmation No.: 1106

35. (Withdrawn) A system for diagnostic imaging of moving tissue comprising:

an ultrasound image display; and a processing system, including a processing sequence stored on a computer readable medium, the processing sequence utilizing pulsed wave spectral Doppler data of moving tissue within gates of an image frame that determine a displacement of tissue.

- 36. (Withdrawn) The system of Claim 35 further comprising a programming processor connected to the processing system that programs a pacemaker.
- 37. (Withdrawn) The system of Claim 35 further comprising a Doppler processor.
- 38. (Withdrawn) The system of Claim 35 wherein the processing sequence further comprises spectral lines defining gates within an image frame.
- 39. (Withdrawn) The system of Claim 35 further comprising an external ultrasound probe.
- 40. (Withdrawn) The system of Claim 35 further comprising an ultrasound probe insertable within a body lumen.

Filed: 4/2/04

TC Art Unit: 3737

Confirmation No.: 1106